

In the Claims:

1. (Currently Amended): A method comprising:
 - a) exposing a digital image sensor comprising an array of photosites to a test card;
 - b) comparing an image signal generated by one or more of the photosites in the array, based on the exposure to the test card, to a threshold value; ~~and~~
 - c) generating a profile of the digital image sensor based on the comparison, wherein the profile indicates if a photosite is inoperable; and
 - d) recording an image by the digital image sensor; and
 - e) adjusting the recorded image according to the stored profile and a compensation algorithm,wherein adjusting comprises determining an average value of pixels surrounding a pixel corresponding to a photosite determined to be inoperable, and assigning the average value to the pixel that corresponds to the inoperable photosite.
2. (Original): The method of Claim 1, wherein a generated profile comprises status information of the photosites in the array.
3. (Original): The method of Claim 2, further comprising storing the generated profile in memory associated with the digital image sensor.
4. (Currently Amended): The method of Claim 3, further comprising repeating ~~the a-c steps of exposing and comparing~~ for one or more additional test cards.
5. (Original): The method of Claim 4, wherein the digital image sensor is a monochrome device and the test cards are a shade value.
6. (Original): The method of Claim 4, wherein the digital image sensor is a color device and the test cards are different base colors.
7. (Original): The method of Claim 6, wherein the test cards comprise a red test card, a green test card, and a blue test card.
8. (Canceled)

9. (Currently Amended): The method of Claim 8~~1~~, wherein adjusting the value assigned to a malfunctioning photosite interpolates the values of adjacent photosites.

10-14. (Canceled)

15. (Currently Amended): A computer program product comprising:
a first component for recording an image by a digital image sensor comprising an array of photosites, wherein the digital image sensor includes a profile of the operable status of the photosites;
a second component for ~~adjusting the recorded image according to the profile and a compensation algorithm~~ determining an average value of pixels surrounding a pixel corresponding to a photosite with inoperable status information, and entering the determined average value as the value for the pixel that corresponds to the inoperable photosite.

16. (Canceled)

17. (Currently Amended): A system comprising:
one or more test cards;
a digital image sensor comprising an array of photosites;
an image processor for comparing an image signal generated by one or more of the photosites in the array of the digital image sensor, based on exposure of the sensor to one of the one or more test cards, to a threshold value, and for generating a profile of the digital image sensor based on the comparison,
wherein the digital image sensor records an image, and adjusts the recorded image by determining an average value of pixels surrounding a pixel corresponding to a photosite determined to be inoperable, and by assigning the average value to the pixel that corresponds to the inoperable photosite.

18. (Original): The system of Claim 17, wherein a generated profile comprises status information of the photosites in the array.

19. (Original): The system of Claim 18, wherein the sensor further comprises memory for storing the generated profile.

20. (Original): The system of Claim 19, wherein the image processor generates a profile by comparing an image signal generated by all the photosites when exposed to all the test cards.

21. (Original): The system of Claim 20, wherein the digital image sensor is a monochrome device and the test cards are a shade value.

22. (Original): The system of Claim 20, wherein the digital image sensor is a color device and the test cards are different base colors.

23. (Original): The system of Claim 22, wherein the test cards comprise a red test card, a green test card, and a blue test card.

24-26. (Canceled)

25315

CUSTOMER NUMBER

- 5 -

XTEN-1-1005ROA

BLACK LOWE & GRAHAM^{PLLC}



701 Fifth Avenue, Suite 4800
Seattle, Washington 98104
206.381.3300 • F: 206.381.3301